深圳威特安科技有限公司
Shenzhen Professional Security Technology Co., Ltd.

Add: 12C Jinxing Bld, HePing Industrial Tech Park, ChangYong Rd,Longhua Street, Longhua New District, Shenzhen, China.

Contact: Ms Melody; Phone: +86-755-28187165; Mobile/Whatsapp:+86-13045862781; Fax: +86-755-29484833;

Website: www.chinapst.com; E-mail:melody@chinapst.com; melody_chinapst@aliyun.com;

Skype:chinapst11; QQ: 2109503676; Ali Trade Manager:cn1510170276; Wechat: melody396475

PST - 2015 Your Best Home Alarm System Supplier in China

Part 1: Wireless PSTN Auto Dial Home Alarm System (MOQ:10PCS/Model):

Pictures	Basic Description	Model Name	USD/PCS	Remarks
HOT	**Wireless 99 Zones Cheap TEL home alarm system with LED Display** ◆Anti-decoding function; ◆Password protection; ◆Telephone line anti-cut alarm function; ◆can store 6 groups of telephone numbers; ◆Wireless learning code: In total can add 99 wireless sensors; ◆Mute/sound alarm optional; ◆Last status record after powered off; ◆Siren hooting time can be set; ◆Zones mode status can be set; ◆Can arm/disarm/listen-in by calling the host phone number; ◆Backup battery for continue working when power off; ◆Wireless learning coding,compatiable with 2262 or 1527 chip sensors;	PST-TEL99E	US$18.66	Standard Package 1XAlarm host 1XPIR sensor 2XRemotes 1XMini-Siren 1XDoor Sensor 1XAdapter unit weight:1Kg size:21.5*15*9.5cm 20PCS/carton box
HOT	**Wireless 99 Zones TEL Home Alarm System with LED Display** ◆10 seconds personal voice message record; ◆Preset 6 phone numbers which can be dial automatically; ◆Built in anti-cracking function, password protection function; ◆If telephone line is cut or short, the control panel will alarm; ◆Arm/Alarm time delay option: 0~99 seconds selection; ◆Siren can be set sound or mute when alarm; ◆Remote control the siren ring times, arm /disarm /partial arm etc; ◆The sound volume of siren adjustable; ◆Timer of automatically arm/disarm function; ◆Wireless learning coding,compatiable with 2262 or 1527 chip sensors;	PST-TEL99EG	US$21.98	Standard Package 1XAlarm host 1XPIR sensor 2XRemotes 1XMini-Siren 1XDoor Sensor 1XAdapter unit weight:1Kg size:21.5*15*9.5cm 20PCS/carton box

Part 2: Wireless GSM Home Alarm System (MOQ:10PCS/Model):

Pictures	Basic Description	Model Name	USD/PCS	Remarks
HOT	**6 Wireless & 4 Wired Zones GSM Home Alarm** ◆4 wired and 6 wireless zones; ◆Can preset and store 6 voice phones and 3 message phones; ◆3 groups of timely arm and disarm; ◆SMS alarm content can be changed;Built-in intelligent message; ◆Remote two-way intercom, built-in intercom speaker; ◆SMS remote control preset&arm/disarm the main panel; ◆10 seconds voice record message & voice operation instruction; ◆Arm, disarm, monitor and intercom by remote calling the alarm unit; ◆Backup NI-HI rechargable battery; ◆Wireless learning coding,compatiable with 2262 or 1527 chip sensors; ◆GSM freq: 900/1800/1900Mhz; ◆Multi-Language:Czech,Spanish,Italian,Russian,Polish extra 3.5USD;	PST-GA0604	US$29.68	Standard Package 1XAlarm host 1XPIR sensor 2XRemotes 1XMini-Siren 1XDoor Sensor 1XAdapter unit weight:0.85Kg size:21.5*15*9.5cm 20PCS/carton box

NEW	**App 99 Wireless & 2 Wired Zones GSM Home Alarm** ◆2 wired and 99 wireless zones; ◆Can preset and store 6 voice phones and 3 message phones; ◆3 groups of timely arm and disarm; ◆SMS alarm content can be changed;Built-in intelligent message; ◆Remote two-way intercom, built-in intercom speaker; ◆SMS remote control preset&arm/disarm the main panel; ◆Voice operation instruction; ◆Support 9 groups of 10s voice record function; ◆Arm, disarm, monitor and intercom by remote calling the alarm unit; ◆Backup Lithium rechargable battery; ◆Wireless learning coding,compatiable with 2262 or 1527 chip sensors; ◆GSM freq: 850/900/1800/1900Mhz; ◆Multi-Language: Italian, Polish, Russian, no extra cost, MOQ: 10PCS;	PST-G10A	US$35.26	Standard Package 1XAlarm host 1XPIR sensor with built-in antenna 2XRemotes with built-in antenna 1XDoor Sensor with built-in antenna 1XMini-Siren 1XAdapter unit weight:0.85Kg size:21.5*15*9.5cm 20PCS/carton box
HOT	**99 Wireless & 7 Wired Zone GSM Home Alarm System** ◆LCD display, built-in clock display; ◆Each zone can be programmed independently; ◆In total can add 8 wireless remote controller; ◆Can set 6 groups of fixed time for arm and disarm; ◆10 seconds personal voice message record; ◆Can control the system by calling-in:arm, disarm, listening-in etc; ◆Backup battery for countinue working when power is off/cut; ◆English voice operation instruction; ◆Wireless learning coding,compatiable with 2262 or 1527 chip sensors; ◆GSM frequency:850/900/1800/1900Mhz; ◆Multi-Language:Spanish,Russian,France,Czech,Polish extra 3.5USD;	PST-GA997CQ	US$45.00	Standard Package 1XAlarm host 1XPIR sensor 2XRemotes 1XMini-Siren 1XDoor Sensor 1XAdapter unit weight:0.96Kg size:21.5*15*9.5cm 20PCS/carton box
HOT	**99 Wireless & 7 Wired Zone GSM Home Alarm System** ◆LCD display, built-in clock display; ◆Each zone can be programmed independently; ◆In total can add 8 wireless remote controller; ◆Can set 6 groups of fixed time for arm and disarm; ◆10 seconds personal voice message record; ◆Can control the system by calling-in:arm, disarm, listening-in etc; ◆Backup battery for countinue working when power is off/cut; ◆English voice operation instruction; ◆Wireless learning coding,compatiable with 2262 or 1527 chip sensors; ◆GSM frequency:850/900/1800/1900Mhz; ◆Multi-Language:Spanish,Russian,France,Czech,Polish extra 3.5USD; Note: All the functions are exactly same as PST-GA997CQ. The only difference is the standard package remote controller, door sensor and PIR sensor in this model kit we upgraded to be built-in antenna.	PST-GA997CQN	US$45.50	Standard Package 1XAlarm host 1XPIR sensor with built-in antenna 2XRemotes with built-in antenna 1XDoor Sensor with built-in antenna 1XMini-Siren 1XAdapter unit weight:0.96Kg size:21.5*15*9.5cm 20PCS/carton box
HOT	**10 Wireless & 4 Wired Zones GSM Home Alarm with Touch Key** ◆LCD display, built-in clock display; ◆Each zone can add max 10 detectors,in total up to 100 detectors; ◆In total can add 8 wireless remote controller; ◆Can set 6 groups of fixed time for arm and disarm; ◆10 seconds personal voice message record; ◆Can control the system by calling-in; arm, disarm, listening-in etc; ◆Backup battery for countinue working when power is off/cut; ◆English voice operation instruction; ◆GSM frequency:850/900/1800/1900Mhz; ◆Wireless learning coding,compatiable with 2262 or 1527 chip sensors;	PST-GA104TCQ	US$55.68	Standard Package 1XAlarm host 1XPIR sensor 2XRemotes 1XMini-Siren 1XDoor Sensor 1XAdapter unit weight:1Kg size:21.5*15*9.5cm 20PCS/carton box
HOT	**Iphone & Android App 12 Wireless & 2 Wired Zone GSM Home Alarm** ◆Each zone has independent arm/disarm function; ◆With voice reminder when users operate the system; ◆Real-time report the alarm zone remotely by SMS and voice reminding; ◆Support two-way communications; ◆Each wireless zone can use countless wireless sensors; ◆10 seconds personal voice message record; ◆Send SMS to 3 mobiles and auto-dial 3 phones to inform the user; ◆Remote monitor function; ◆Program and control the system by keyboard, remotes, SMS or phone; ◆Use SMS to change the zone name & content; ◆GSM frequency:850/900/1800/1900Mhz; ◆Wireless fixed coding,compatiable with 2262 sensors; ◆Already included multi-language: Chinese/English/Russian/Spanish;	PST-GA122Q	US$44.26	Standard Package 1Xalarm host 1XPIR sensor 2XMetal Remotes 1XMini-Siren 1XDoor Sensor 1XAdapter unit weight:1.2Kg size:29*27*8.3cm 10PCS/carton box Kit Sensors photo:

HOT 	**Iphone & Android app Touch Key 24 Wireless & 2 Wired Zones GSM Home Alarm** ◆Touch keypad on alarm panel enable to arm/disarm/home mode; ◆Two-way communication ◆24 wireless zones, 6 fire alarm zones, 20 remote controllers or panic buttons and 2 wired zones ◆Setup 3 numbers for SMS, 3 numbers for calling ◆Delay alarm function (0-60 seconds optional) ◆Setup siren ringing time (0-254 seconds optional) ◆Wireless transmission for wireless siren and 2 routes wireless relays ◆Enable control the alarm via SMS and phone keypad ◆Record voice for 10 seconds ◆External power failure/recovery alarm function (optional) ◆Siren prompt when arm/disarm ◆SMS prompt when arm/disarm ◆GSM frequency:850/900/1800/1900Mhz; ◆Wireless learning coding,compatiable with 2262 or 1527 chip sensors; ◆Two color option: white and black; ◆Included Language: Chinese/English/Russian/Spanish/German/French;	PST-GA242Q	US$62.99	Standard Package 1Xalarm host 1XWireless door sensor with built-in antenna 1XPIR sensor with built-in antenna 2XMetal Remotes 1XAC adapter 1XUser manual 1XSos Button unit weight:0.9Kg size:28*22*65cm 12PCS/carton box
NEW 	**2015 App Control Global Newest & Hottest Bluetooth RFID 50 Wireless & 2 Wired Zones Touch Key GSM Alarm System** 1. Touch buttons, slim case, the highest design, more delicate; 2. RFID Card arm/disarm the alarm host, RFID card names can be edited, and SMS notification arm and disarm status; 3. Host comes with input method , editing easier. More user-friendly operating system , easy to operate; 4. Phone bluetooth can control the alarm host. Direct-line distance of 100 meters and blocking distance 60m; 5. 8-speed host volume can be adjusted; 6. 50 zones. You can freely edit the sensors/remote controllers' zone, name and alarm sound etc attribute; 7. Wireless siren hints the alarm host's arm or disarm status; 8. The owner can set his/her own phone number as free password control number, then can more convenient and fast control of their hosts; 9. low power consumption; 10. Support CID Center; 11. USB interface, the user can update the latest software on their own computer , and enjoy the latest features and services;	PST-GA66	US$66.99	Standard Package 1Xalarm host 1XPIR sensor 2XRemotes 1XDoor Sensor 2XRFID Tags 1XAdapter unit weight:1Kg size:21.5*15*9.5cm 20PCS/carton box
NEW 	**2015 App Control Global Newest & Hottest Bluetooth RFID 50 Wireless & 2 Wired Zones Touch Key GSM Alarm System** **All functions are exactly same as PST-GA66. And have the following extra:** 1. Door detection function: when arm, it will timely remind the un-closed door/window etc to ensure 100% security; 2. Accessories low-voltage detection , prompt the user to replace the battery; 3. Door open prompt function: when the door is opened, the host will sound	PST-GA66A	US$73.77	Standard Package 1Xalarm host 1XPIR sensor 2XRemotes 1XDoor Sensor 2XRFID Tags 1XAdapter unit weight:1Kg size:21.5*15*9.5cm 20PCS/carton box
 Intelligent PIR sensor For GA66A only	**Intelligent Built-Antenna PIR Sensor for PST-GA66A Only** ◆ Low-voltage detection , prompt the user to replace the battery;	PST-IR200S	US$8.70	
 Intelligent Door Sensor For GA66A only	**Intelligent Built-Antenna Door Sensor for PST-GA66A Only** ◆ Door detection function: when arm, it will timely remind the un-closed door/window etc to ensure 100% security; ◆ Low-voltage detection , prompt the user to replace the battery;	PST-DS100S	US$5.30	
 RFID Tags for GA66(A) only	**RFID Tags for PST-GA66(A) Only**	PST-RFID-TAG	US$0.99	

Part 3: Wireless GSM+PSTN Home Alarm System (MOQ:10PCS/Model):

Pictures	Basic Description	Model Name	USD/PCS	Remarks
HOT	**99 Wireless & 2 Wired Zones PSTN+GSM Home Alarm System** ◆LCD display, built-in clock display; ◆GSM&PSTN alarm function,Intelligent recording PSTN first; ◆Each zone can be programmed independently; ◆In total can add 8 wireless remote controller; ◆Can set 6 groups of fixed time for arm and disarm; ◆10 seconds personal voice message record; ◆Hint the function of telephone line error; ◆Can control the system by calling-in:arm, disarm, listening-in and so on; ◆Alarm first and grab-line alarm; ◆Backup battery for countinue working when power is off/cut; ◆English voice operation instruction; ◆GSM frequency:850/900/1800/1900Mhz; ◆ Wireless learning coding,compatiable with 2262 or 1527 chip sensors;	PST-PG992CQ	US$37.86	Standard Package 1XAlarm host 1XPIR sensor 2XRemotes 1XMini-Siren 1XDoor Sensor 1XAdapter unit weight:0.86Kg size:21.5*15*9.5cm 20PCS/carton box
	App 99 Wireless & 4 Wired Zones PSTN+GSM Home Alarm System with Touch Key ◆LCD display; ◆GSM&PSTN alarm function, alarm information more safe; Intelligent recording PSTN first; ◆Each zone can be programmed independently; ◆"Black Box" date record function; ◆Can set 6 groups of fixed time for arm and disarm; ◆10 seconds personal voice message record; ◆Hint the function of telephone line error; ◆Can control the system by calling-in: arm, disarm, listening-in etc; ◆Alarm first and grab-line alarm; ◆Backup battery for countinue working when power is off/cut; ◆English voice operation instruction; ◆GSM frequency:850/900/1800/1900Mhz; ◆Wireless learning coding,compatiable with 2262 or 1527 chip sensors; ◆White & Black Color Optional;	PST-PG994CQT	US$52.46	Standard Package 1XAlarm host 1XPIR sensor with built-in antenna 2XRemotes with built-in antenna 1XDoor Sensor with built-in antenna 1XMini-Siren 1XAdapter unit weight:1Kg size:21.5*15*9.5cm 20PCS/carton box
	App 99 Wireless & 4 Wired Zones PSTN+GSM Home Alarm System ◆LCD display; ◆GSM&PSTN alarm function, alarm information more safe; Intelligent recording PSTN first; ◆Each zone can be programmed independently; ◆"Black Box" date record function; ◆Can set 6 groups of fixed time for arm and disarm; ◆10 seconds personal voice message record; ◆Hint the function of telephone line error; ◆Can control the system by calling-in: arm, disarm, listening-in etc; ◆Alarm first and grab-line alarm; ◆Backup battery for countinue working when power is off/cut; ◆English voice operation instruction; ◆GSM frequency:850/900/1800/1900Mhz; ◆Wireless learning coding,compatiable with 2262 or 1527 chip sensors;	PST-PG994CQ	US$53.60	Standard Package 1XAlarm host 1XPIR sensor 2XRemotes 1XMini-Siren 1XDoor Sensor 1XAdapter unit weight:1.2Kg size:29*23.5*7cm 10PCS/carton box
HOT	**Android app 99 Wireless & 2 Wired Zones PSTN+GSM Alarm** ◆1.7 inch TFT color display; touch Panel keypad; ◆GSM&PSTN alarm function, alarm information more safe; Intelligent recording PSTN first; ◆Each zone can be programmed independently; ◆"Black Box" date record function; ◆Can set 6 groups of fixed time for arm and disarm; ◆10 seconds personal voice message record; ◆Hint the function of telephone line error; ◆Can control the system by calling-in: arm, disarm, listening-in etc; ◆Alarm first and grab-line alarm; ◆Backup battery for countinue working when power is off/cut; ◆English voice operation instruction; ◆GSM frequency:850/900/1800/1900Mhz; ◆Wireless learning coding,compatiable with 2262 or 1527 chip sensors; ◆Multi-Language:French, Spanish, Russian, MOQ 10PCS	PST-PG992TQ	US$65.99	Standard Package 1XAlarm host 1XPIR sensor with built-in antenna 2XRemotes with built-in antenna 1XDoor Sensor with built-in antenna 1XAdapter unit weight:0.8Kg size:23*17*10cm

Part 4: PIR Sensors:

Pictures	Basic Description	Model Name	USD/PCS	Remarks
	Wireless Economic PIR Motion Sensor with ON/OFF Switch ◆ Installation:wall-mounted; ◆ Power: 6F22 battery 9V; ◆ Detecting distance:12m, detecting angle:110 degrees; ◆ Open distance: 100-150m; ◆ 1527 IC; ◆ **Not compatiable with PST-GA122Q, PST-GA242Q, PST-GA66A;**	PST-IR200	US$3.33	Unit weight:0.18Kg Size:7.5*5.5*13.5 100PCS/carton box
	Wireless PIR Motion Sensor with ON/OFF Switch ◆ Installation:wall-mounted; ◆ Power: 6F22 battery 9V; ◆ Detecting distance:12m, detecting angle:110 degrees; ◆ Open distance: 100-150m; ◆ Have 2262 and 1527 IC Option; ◆ **Not compatiable with PST-GA66A;**	PST-IR202	US$4.00	Unit weight:0.18Kg Size:7.5*5.5*13.5 100PCS/carton box
	Wireless PIR Motion Sensor with ON/OFF Switch with Option of Connecting Power Adapter(9V DC Input) ◆ Installation:wall-mounted; ◆ Power: 6F22 battery 9V; ◆ Detecting distance:12m,detecting angle:110 degrees; ◆ External Power adaptor connection optional. Adapter 1.76USD; ◆ Open distance: 100-150m; ◆ Have 2262 and 1527 IC Option; ◆ **Not compatiable with PST-GA66A;**	PST-IR203	US$4.33	Unit weight:0.18Kg Size:7.5*5.5*13.5 100PCS/carton box
	Wireless Curtain PIR Movement Sensor ◆ Installation: wall-mounted; ◆ Power: AA battery 2*1.5V; ◆ Detecting distance:12m, detecting angle:15 degrees; ◆ Open distance: 100-150m; ◆ Have 2262 and 1527 IC Option; ◆ **Not compatiable with PST-GA66A;**	PST-IR301N	US$5.70	Unit weight:0.2Kg Size:7.5*5.5*13.5 100PCS/carton box
	Wireless Wide Angle Ceiling PIR Movement Sensor ◆ Installation:ceiling mounted; ◆ Power: 6F22 battery 9V; ◆ Ddetecting distance:8m, detecting angle: 360 degrees; ◆ Open distance: 100-150m; ◆ Have 2262 IC Only; ◆ **Not compatiable with PST-GA66A;**	PST-IR401	US$9.16	Unit weight:0.2Kg Size:11*11*4 100PCS/carton box
	Wireless PIR Motion Sensor with ON/OFF Switch ◆ Installation:wall-mounted; ◆ 6F22 battery 9V; ◆ Open distance: >500m; ◆ Detecting angle:horizontal 110°, Detecting distance:12m; ◆ Have 2262 IC Only; ◆ **Not compatiable with PST-GA66A;**	PST-IR500	US$5.00	Unit weight:0.2Kg Size:11*11*4 100PCS/carton box
	Wireless PIR Motion Sensor with Internal Antenna ◆ Installation:wall-mounted; ◆ Power: 6F22 battery 9V; ◆ Detecting distance:12m, detecting angle:110 degrees; ◆ Open distance: 100-150m; ◆ Have 2262 and 1527 IC Option; ◆ **Not compatiable with PST-GA66A;**	PST-IR501	US$5.50	Unit weight:0.14Kg Size:8*5*13.5cm 100PCS/carton box
	Wireless PIR Motion Sensor with Internal Antenna ◆ Installation:wall-mounted; ◆ Power: AAA alkalescence battery 3*1.5V; ◆ Detecting distance: 12m detecting angle:110 degree; ◆ Open distance: 100-150m; ◆ 1527 IC; ◆ **Not compatiable with PST-GA122Q, PST-GA242Q, PST-GA66A;**	PST-IR502	US$5.35	Unit weight:0.14Kg Size:8*5*13.5cm 100PCS/carton box
	Wireless PIR Motion Sensor with Internal Antenna ◆ Installation:wall-mounted; ◆ Power: 6F22 battery 9V; ◆ Detecting distance:12m, detecting angle:110 degrees; ◆ Open distance: 100-150m; ◆ 1527 IC; ◆ **Not compatiable with PST-GA122Q, PST-GA242Q, PST-GA66A;**	PST-IR200B	US$4.67	Unit weight:0.14Kg Size:8*5*13.5cm 100PCS/carton box

	Wireless PIR Motion Detector with Pet Immunity ◆ Installation:wall-mounted; ◆ Power: 6F22 battery 9V; ◆ Detecting distance:12m, detecting angle:110 degrees; ◆ Open distance: 100-150m; ◆ Only 2262 IC; ◆ Applicable for the pets less than 10kg not alarm; ◆ **Not compatiable PST-GA66A;**	PST-PT102	US$8.33	Unit weight:0.2Kg Size:13.3*8*5.2 100PCS/carton box
	Wireless Solar Outdoor IP65 Waterproof Dual Pets PIR Motion detector ◆ Waterproof design for outdoor, IP Grade is IP65; ◆ Installation:wall-mounted; ◆ Power: 3*1.2V AAA Ni-MH Chargeable battery; ◆ Detecting distance:12m, detecting angle:110 degrees; ◆ Open distance: 100-150m; ◆ Only 2262 IC; ◆ Applicable for the pets less than 25kg not alarm; ◆ **Not compatiable PST-GA66A;**	PST-PT40DP	US$38.33	Unit weight:0.8Kg Size:25*17.5*9.5cm
	Wireless Video PIR Camera ◆ With motion detection function; ◆ Built-in a pin hole camera; ◆ 1Min recording saved to 4GB SD card/time, support up to 32GB; ◆ Can be activated or deactivated by remote controller from 30m away; ◆ Wide-angle PIR sensing: 100 degree 8m*8m; ◆ 3.7V 400ma lion-battery; ◆ Camera:1/6.5” OV CMOS chip, 300,000pixel; ◆ Record format: AVI Format;Record time: Max.2 hrs; ◆ Resolution. 640*480, Illuminstion:0.1 lux; ◆ **Can work standalone, Not compatiable with PST-GA122Q, PST-GA242Q, PST-GA66A;**	PST-LVC10	US$36.66	Standard Package: 1X video pir camera 1X power adaptor 1X remotes 1X USB Cable, 1X1 SD card (4GB) camera:0.34kg; box: 23*16*5cm;
	Wired Wide Angle PIR Motion Sensor ◆ Installation:wall-mounted; ◆ Power: 9-16V DC; ◆ Detecting distance:12m, detecting angle:110 degrees; ◆ N.C. or N.O. for choice ◆ **Compatiable with all models which have wired zones;**	PST-IR101	US$3.83	Unit weight:0.1Kg Size:6*5*11.5 100PCS/carton box
	Wired Curtain PIR Motion Sensor ◆ Installation:wall-mounted; ◆ Power: 9-24V DC; ◆ Detecting distance:9m, detecting angle:15 degrees; ◆ N.C. or N.O. for choice ◆ **Compatiable with all models which have wired zones;**	PST-IR102N	US$5.57	Unit weight:0.2Kg Size:11*11*4 100PCS/carton box
	Wired Wide Angle Ceiling PIR Motion Sensor ◆ Ceiling mounted; ◆ Power: 9-24V DC; ◆ Detecting distance:6m, detecting angle:380 degrees; ◆ N.C. or N.O. for choice; ◆ **Compatiable with all models which have wired zones;**	PST-IR104N	US$5.73	Unit weight:0.2Kg Size:11*11*4 100PCS/carton box
	Wired PIR Motion Sensor with Pet Immunity ◆ Installation:wall-mounted; ◆ Power: 9-16V DC; ◆ Detecting distance:12m, detecting angle:110 degrees; ◆ N.C. or N.O. for choice; ◆ **Compatiable with all models which have wired zones;**	PST-IR105	US$5.33	Unit weight:0.2Kg Size:11*11*4 100PCS/carton box
	Wired PIR Motion Detector ◆ Installation:wall-mounted; ◆ Power: 9-16V DC; ◆ Detecting distance:10m, detecting angle:110 degrees; ◆ N.C. ◆ **Compatiable with all models which have wired zones;**	PST-PT101	US$3.25	Unit weight:0.2Kg Size:11*11*4 100PCS/carton box
	Wired Intelligent Passive Microwave PIR Motion Sensor ◆ Installation:wall-mounted; ◆ Power: 9-16V DC; ◆ Detecting distance:10m, detecting angle:110 degrees; ◆ N.C. ◆ **Compatiable with all models which have wired zones;**	PST-IR525D	US$7.50	unit weight:0.3kg Size:8*6.5*18cm

	Wired Outdoor & Indoor Waterproof PIR Motion Sensor ◆ Waterproof design for outdoor, IP Grade is IP65; ◆ Installation:wall-mounted; ◆ Power: 9-16V DC; ◆ Detecting distance:12m, detecting angle:110 degrees; ◆ N.C. ◆ Applicable for the pets less than 40kg not alarm; ◆ **Compatiable with all models which have wired zones;**	PST-DG85	US$25.00	unit weight:0.3kg Size:8*6.5*18cm

Part 5: Smoke Detector/Heat/Temperature Detector:

Pictures	Basic Description	Model Name	USD/PCS	Remarks
	Wireless Ionic Smoke Detector ◆ Installation:Ceiling mounted; ◆ Power: 6F22 battery 9V; ◆ Open distance: 100-150m; ◆ Have 2262 and 1527 IC Option; ◆ **Not compatiable PST-GA66A;**	PST-SD202	US$6.00	Unit weight:0.2Kg Size:11*11*4 100PCS/carton box
	Wireless Photoelectric Smoke Detector ◆ Installation:Ceiling mounted; ◆ Power: 6F22 battery 9V; ◆ Open distance: 100-150m; ◆ Have 2262 and 1527 IC Option; ◆ **Not compatiable PST-GA66A;**	PST-SD203	US$6.33	Unit weight:0.25Kg Size:12*12*5 100PCS/carton box
	Wireless Heat+Smoke Detector ◆ Installation:Ceiling mounted; ◆ Alarm temperature:57℃(135F) ◆ Power: 6F22 battery 9V; ◆ Open distance: 100-150m; ◆ Have 2262 and 1527 IC Option; ◆ **Not compatiable PST-GA66A;**	PST-WHS101	US$6.90	Unit weight:0.25Kg Size:12*12*5 100PCS/carton box
	Independent Ionic Smoke Detector ◆ Installation:Ceiling mounted; ◆ Power: 6F22 battery 9V; ◆ **Note:** It no need to work with alarm panel together;	PST-SD302	US$5.59	Unit weight:0.2Kg Size:11*11*4 100PCS/carton box
	Independent 110V AC/220V AC Photoelectronic Smoke Detector ◆ Installation:Ceiling mounted; ◆ Power: 220AC/110AC, Have 6F22 9V battery inside it also; ◆ **Note:** It no need to work with alarm panel together;	PST-SD303	US$6.67	Unit weight:0.25Kg Size:12*12*5 100PCS/carton box
	Independent Smoke & Temperature Detector ◆ Installation:Ceiling mounted; ◆ Alarm temperature:57℃(135F); ◆ Power: 6F22 battery 9V; ◆ **Note:** It no need to work with alarm panel together;	PST-SD304	US$5.83	Unit weight:0.25Kg Size:12*12*5 100PCS/carton box
	Independent Photoelectronic Smoke Detector ◆ Installation:Ceiling mounted; ◆ Power: 6F22 battery 9V; ◆ **Note:** It no need to work with alarm panel together;	PST-SD308	US$5.17	Unit weight:0.25Kg Size:12*12*5 100PCS/carton box
	Wired Ionic Smoke Detector ◆ Installation:wall-mounted; ◆ Power: 9-16V DC; ◆ Sound&flash alarm, test manually, auto reset; ◆ N.C. or N.O. for choice; ◆ **Compatiable with all models which have wired zones;**	PST-SD102	US$5.88	Unit weight:0.2Kg Size:11*11*4 100PCS/carton box

	Wired Photoelectronic Smoke Detector ◆ Installation:wall-mounted; ◆ Power: 9-16V DC; ◆ LED indicator alarm, test manually, auto reset; ◆ N.C. or N.O. for choice; ◆ **Compatiable with all models which have wired zones;**	PST-SD105	US$5.50	Unit weight:0.25Kg Size:11*11*4 100PCS/carton box
	Wired Photoelectric Smoke & Heat Detector ◆ Installation:Ceiling mounted; ◆ Alarm temperature:57℃(135F) ◆ Power: 9-16V DC; ◆ LED indicator alarm, test manually, auto reset; ◆ N.C. or N.O. for choice; ◆ **Compatiable with all models which have wired zones;**	PST-SH100	US$5.83	Unit weight:0.25Kg Size:11*11*4 100PCS/carton box
	Wired Smoke & Heat Detector ◆ Installation:Ceiling mounted; ◆ Alarm temperature:57℃(135F) ◆ Power: 9-16V DC; ◆ Sound&flash alarm, test manually, auto reset; ◆ N.C. or N.O. for choice ◆ **Compatiable with all models which have wired zones;**	PST-SH101	US$7.35	Unit weight:0.2Kg Size:12*12*4.7 100PCS/carton box

Part 6: Door & Window & Wall & Water Sensors:

Pictures	Basic Description	Model Name	USD/PCS	Remarks
	Wireless Door/Window Magnetic Sensor ◆ Power: 23A 12V battery; ◆ Open distance: 100-150m; ◆ Only 1527 IC; ◆ **Not compatiable with PST-GA122Q, PST-GA242Q, PST-GA66A;**	PST-DS200	US$1.42	Unit weight:0.05Kg pack with bag 500PCS/carton box
	Wireless Door/Window Magnetic Sensor ◆ Power: 23A 12V battery; ◆ Open distance: 100-150m; ◆ Only 2262 IC; ◆ **Not compatiable PST-GA66A;**	PST-DS201	US$1.76	Unit weight:0.05Kg pack with bag 500PCS/carton box
	Wireless Door Magnet Sensor with Built in Antenna ◆Battery: 23A 12V battery; ◆ Open distance: 100-150m; ◆ Only 1527 IC; ◆ **Not compatiable with PST-GA122Q, PST-GA242Q, PST-GA66A;**	PST-DS100B	US$2.67	Unit weight:0.05Kg pack with bag 500PCS/carton box
	Wireless Door Magnet Sensor with Built in Antenna ◆Battery: 23A 12V battery; ◆ Open distance: 100-150m; ◆ Have 2262 and 1527 IC Option; ◆ **Not compatiable with PST-GA66A;**	PST-LDS7	US$3.67	Unit weight:0.05Kg pack with bag 500PCS/carton box
	Wireless Door Magnet Sensor with Built in Antenna ◆Battery: 23A 12V battery; ◆ Open distance: 100-150m; ◆ Only 1527 IC; ◆ **Not compatiable with PST-GA122Q, PST-GA242Q, PST-GA66A;**	PST-LDS8	US$3.35	Unit weight:0.05Kg pack with bag 500PCS/carton box
	Wireless Door Magnet Sensor with Built in Antenna ◆Battery: 23A 12V battery; ◆ Open distance: 100-150m; ◆ Only 1527 IC; ◆ **Not compatiable with PST-GA122Q, PST-GA242Q, PST-GA66A;**	PST-LDS9	US$2.62	Unit weight:0.035Kg 2pcs/box box dimension: 5*4*8cm
	Wireless Shutter Sensor ◆ Power: 23A 12V battery; ◆ Open distance: 100-150m; ◆ Have 2262 and 1527 IC Option; ◆ **Not compatiable PST-GA66A;**	PST-WSS101	US$4.68	Unit weight:0.2Kg pack with bag 100PCS/carton box
	Wireless Vibration Sensor ◆ Power: 23A 12V battery; ◆ Open distance: 100-150m; ◆ Only 2262 IC; ◆ **Not compatiable PST-GA66A;**	PST-WVS101	US$2.50	Unit weight:0.05Kg pack with bag 1000PCS/carton box
	Wireless Water Detector ◆ Power: 23A 12V battery; ◆ Open distance: 100-150m; ◆ Only 2262 IC; ◆ **Not compatiable PST-GA66A;**	PST-WWD102	US$3.00	Unit weight:0.05Kg pack with bag 1000PCS/carton box

	Wireless glass break sensor with Adapter ◆ Power: DC12V ◆ Open distance: 100-150m; ◆ Have 2262 and 1527 IC Option; ◆ **Not compatiable PST-GA66A;**	PST-WGB101	US$6.66	Unit weight:0.2Kg Size:7*9.5*3.4 100PCS/carton box adapter:9.5*8*3.3cm
	Wireless Signal Repeater with Adapter ◆ It is a special device for extending the wireless signals; ◆ Working voltage: DC12V; ◆ Operating current: 150mA-180mA; ◆ Distance extend 500-1000m; ◆ **Not compatiable PST-GA66A;**	PST-WSR201	US$16.66	Unit weight:0.29Kg Size:11*5*12cm adapter:9.5*8*3.3cm
	Wired Small Size Surface Mount Door Sensor ◆ NC ◆ **Compatiable with all models which have wired zones;**	PST-MC35	US$0.54	Unit weight:0.01Kg
	Wired Recessed Door/Window Sensor ◆ NC ◆ **Compatiable with all models which have wired zones;**	PST-RC35	US$0.54	Unit weight:0.01Kg
	Wired Metal Door/Window Magnetic Sensor ◆ NC ◆ It is applicable for metal door; ◆ **Compatiable with all models which have wired zones;**	PST-WD101	US$2.50	Unit weight:0.1Kg Pack with bag 500PCS/carton box
	Wired Plastic Door/Window Magnetic Sensor ◆ NC ◆ **Compatiable with all models which have wired zones;**	PST-WD102	US$0.54	Unit weight:0.05Kg Pack with bag 500PCS/carton box
	Wired Shutter Sensor ◆ NC ◆ **Compatiable with all models which have wired zones;**	PST-WD103	US$2.35	Unit weight:0.1Kg Pack with bag 500PCS/carton box
	Wired Glass Break Sensor ◆ NC/NO ◆ **Compatiable with all models which have wired zones;**	PST-GB101	US$3.00	Unit weight:0.18Kg Size:7*9.5*3.4 100PCS/carton box

Part 7: Gas Detector & CO Detector:

Pictures	Basic Description	Model Name	USD/PCS	Remarks
	Wireless Gas Leakage Detector ◆ Installation:wall-mounted; ◆ Power: AC220V; ◆ Open distance:100-150m; ◆ Have 2262 and 1527 IC Option; ◆ **Not compatiable PST-GA66A;**	PST-GD204	US$6.32	Unit weight:0.3Kg Size:15*11*5.5 100PCS/carton box
	Wireless Gas Leakage Detector ◆ Installation:wall-mounted; ◆ Power: AC220V or AC110V; ◆ Open distance: 100-150m; ◆ Have 2262 and 1527 IC Option; ◆ **Not compatiable PST-GA66A;**	PST-GD202	US$8.20	Unit weight:0.28Kg Size:15*11*5.5 100PCS/carton box
	Wireless Gas Leakage Detector ◆ Installation:wall-mounted; ◆ Power: AC220V or AC110V; ◆ Open distance: 100-150m; ◆ Support valve control (Optional) ◆ Have 2262 and 1527 IC Option; ◆ **Not compatiable PST-GA66A;**	PST-GD401	US$8.18	Unit weight:0.3Kg Size:15*11*5.5 100PCS/carton box
	Independent Gas Leakage Detector ◆ Installation:wall-mounted; ◆ Power: AC220V or AC110V; ◆ Support valve control or Manipulator (Optional) ◆ **Note:** It no need to work with alarm panel together;	PST-GD301	US$7.50	Unit weight:0.3Kg Size:15*11*5.5 100PCS/carton box

	Independent Gas Leakage Detector ◆ Installation:wall-mounted; ◆ Power: AC220V or AC110V; ◆ Support valve control (Optional) ◆ **Note:** It no need to work with alarm panel together;	PST-GD302	US$8.26	Unit weight:0.3Kg Size:15*11*5.5 100PCS/carton box
	Independent Carbon Monoxide Detector ◆ Installation:wall-mounted; ◆ Power: AC220V or AC110V; ◆ **Note:** It no need to work with alarm panel together;	PST-GD305	US$9.99	Unit weight:0.3Kg Size:15*11*5.5 100PCS/carton box
	Independent Carbon Monoxide & Gas Detector ◆ Installation:wall-mounted; ◆ Power: AC220V or AC110V; ◆ **Note:** It no need to work with alarm panel together;	PST-GD306	US$11.50	Unit weight:0.3Kg Size:15*11*5.5 100PCS/carton box
	Wired 110-220V AC Gas Leakage Detector ◆ Installation:wall-mounted; ◆ Power: AC220V or AC110V; ◆ N.C. or N.O. for choice ◆ Support valve control or Manipulator (Optional) ◆ **Compatiable with all models which have wired zones;**	PST-GD106	US$7.68	Unit weight:0.3Kg Size:15*11*5.5 100PCS/carton box
	Manipulator ◆Power supply: DC9V～DC12V. ◆Current supply: 100 mA ~ 600 mA ◆Operation temperature: -10℃～+55℃ ◆Operation Humidity: <95% ◆Operation press: 86~106kPa ◆Using life: 5 years **Note:** Note: It only works with model PST-GD106; PST-GD301; And you can buy only manipulator or Valve Control; you can not buy these two together;	PST-MP101	US$7.00	Unit weight:0.42Kg
	Valve Control •Gas species: natural gas, LPG, man-made coal gas and other noncorrosive gases •Valve opening: reset manually •Valve closing: direct current pulse drive or manually •Closing time: <1s 1/2" or 3/4" Note: It only works with PST-GD106; PST-GD301; PST-GD302;PST-GD401; And you can buy only manipulator or Valve Control; you can not buy these two together;	PST-VC102	US$8.00	Unit weight:0.47Kg

Part 8: Siren & Horn:

Pictures	Basic Description	Model Name	USD/PCS	Remarks
	Wireless Flashing & Sound Siren with Adapter ◆ Installation:wall-mounted; ◆ Power: DC12V; ◆ Open distance: 50-100m; ◆ Sound level:110dB; ◆ **Not compatiable with PST-GA242Q, PST-GA66A;**	PST-FS201	US$10.91	Unit weight:0.25Kg Size:17*9.5*8 100PCS/carton box
	Wireless Sound Horn with Adapter ◆ Installation:wall-mounted; ◆ Power: DC12V; ◆ Open distance: 50-100m; ◆ Sound level:120dB; ◆ **Not compatiable with PST-GA242Q, PST-GA66A;**	PST-WS104	US$8.66	Unit weight:0.45Kg Siren Size:9*9.5*8 Adapter: 3*9.5*8 100PCS/carton box
	Wireless Sound Big Horn with Adapter ◆ Installation:wall-mounted; ◆ Power: DC12V; ◆ Open distance: 50-100m; ◆ Sound level:120dB; ◆ **Not compatiable with PST-GA242Q, PST-GA66A;**	PST-WS105	US$12.50	

	Wireless Outdoor Flash & Sound Siren with Adapter ◆ Installation:wall-mounted; ◆ Power: DC12V; ◆ with backup battery ◆ Open distance: 50-100m; ◆ Sound level:120dB; ◆ **Not compatiable with PST-GA242Q, PST-GA66A;**	PST-OFS03	US$19.16	Unit weight:0.48Kg size:21*12.5*9cm
	Wireless Sound and Light Siren for PST-GA242Q Only with Adapter ◆ Power Requirements :12VDC ◆ Current Consumption:40mA (High-low sound) ◆ With backup lithium battery ◆ Intensity of buzzer'volume:110 decibel at 12VDC, 1FT ◆ Dimension(LWH):85X37X16mm ◆ **Note: for wireless siren, only this model can work with PST-GA242Q.**	PST-WS106	US$11.15	Unit weight:0.21Kg
	Wireless Siren ◆ **Note: Only work for following alarm models: PST-G10A, PST-GA66,PST-GA66A**	PST-WS107	US$14.99	
	Wireless Outdoor Solar Siren ◆ **Not compatiable with PST-GA242Q, PST-GA66A;**	PST-OFS04	US$49.99	
	Wired Mini Red Color Wired Siren ◆ Installation:wall-mounted; ◆ Sound level:110dB; ◆ **Not compatiable with PST-GA242Q, PST-GA66A;**	PST-MS101	US$1.50	Unit weight:0.08Kg no pack 200PCS/carton box
	Wired Mini White Color Wired Siren ◆ Installation:wall-mounted; ◆ Sound level:110dB; ◆ **Not compatiable with PST-GA242Q, PST-GA66A;**	PST-MS102	US$1.50	Unit weight:0.055Kg no pack 200PCS/carton box
	Wired Flashing & Sound Siren ◆ Installation:wall-mounted; ◆ Sound level:110dB; ◆ **Not compatiable with PST-GA242Q, PST-GA66A;**	PST-FS102	US$2.33	Unit weight:0.125Kg Size:8.5*5.5*14cm 100PCS/carton box
	Wired Flashing & Sound Siren ◆ **Not compatiable with PST-GA242Q, PST-GA66A;**	PST-FS106	US$6.16	Unit weight:0.2Kg Size:12*5.5*14cm
	Wired Black Color Outdoor & Indoor Sound Horn ◆ Installation:wall-mounted; ◆ Sound level:120dB; ◆ **Not compatiable with PST-GA242Q, PST-GA66A;**	PST-S103	US$2.30	Unit weight:0.4Kg Size:11.5*11*11 100PCS/carton box
	Wired White Color Outdoor & Indoor Sound Horn ◆ Installation:wall-mounted; ◆ Sound level:120dB; ◆ **Not compatiable with all models above;**	PST-S104	US$3.50	Unit weight:0.7Kg Size:11.5*11*11 24PCS/carton box
	Wired Outdoor siren with flash ◆ Installation:wall-mounted; ◆ Sound level:120dB; Note: without battery, which can be added optional and extra charge 4USD. ◆ **Not compatiable with PST-GA242Q, PST-GA66A;**	PST-PA200	US$15.00	Unit weight:1.76Kg Size: 29*20*10cm 8PCS/carton box

Part 9: Panic Button & Remote Controller & Fire Buttons:

Pictures	Basic Description	Model Name	USD/PCS	Remarks
	Wireless Panic Button ***HOT!*** ◆ Power: 23A 12V battery; ◆ Open distance: 100-150m; ◆ Only 2262 IC; ◆ **Not compatiable PST-GA66A;**	PST-PB101	US$1.92	Unit weight:0.05Kg pack with bag 1000PCS/carton box

	Wireless Panic Button ◆ 3.7V Lithium battery; ◆ Open distance: 100-150m; ◆ Only 1527 chip; ◆ **Not compatiable with PST-GA122Q, PST-GA242Q, PST-GA66A;**	PST-LPB3	US$3.08	Unit weight:0.04Kg
	Wireless Panic Button with rope ◆ CR2032 3V Lithium battery; ◆ Open distance: 100-150m; ◆ Only 1527 chip; ◆ **Not compatiable with PST-GA122Q, PST-GA66A;**	PST-LPB4	US$2.80	Unit weight:0.04Kg
	Wireless Wirstwatch Panic Button ◆ Alkaline 27A 12V battery; ◆ Open distance: 100-150m; ◆ 1527 chip and 2262 chip; ◆ **Not compatiable with PST-GA122Q, PST-GA242Q, PST-GA66A;**	PST-LPB5A	US$5.00	Unit weight:0.04Kg
	Wireless Necklace Panic Button ◆ Alkaline 27A 12V battery; ◆ Open distance: 100-150m; ◆ 1527 chip and 2262 chip; ◆ **Not compatiable with PST-GA122Q, PST-GA242Q, PST-GA66A;**	PST-LPB5B	US$5.00	Unit weight:0.04Kg
	Wireless Remote Controller ◆ Power: 23A 12V battery; ◆ Open distance: 100-150m; ◆ Only 2262 IC; ◆ **Working for alarm model TEL99E;**	PST-RC100A	US$1.50	Unit weight:0.05Kg pack with bag 1000PCS/carton box
	Wireless Remote Controller ◆ Power: 23A 12V battery; ◆ Open distance: 100-150m; ◆ Only 1527 IC; ◆ **Working for alarm model TEL99EG,PG994CQ;**	PST-RC100B	US$1.50	
	Wireless Remote Controller ◆ Power: 23A 12V battery; ◆ Open distance: 100-150m; ◆ Only 2262 IC; ◆ **Working for alarm model GA0604,PG992CQ,GA997CQ,GA104TCQ;**	PST-RC100C	US$1.50	
	Wireless Remote Controller ◆ Power: 23A 12V battery; ◆ Open distance: 100-150m; ◆ Only 2262 IC; ◆ **Working for alarm model GA122Q, GA242Q;**	PST-RC105A	US$2.66	Unit weight:0.1Kg pack with bag 1000PCS/carton box
	Wireless Metal Remote Controller ◆ Power: 23A 12V battery; ◆ Open distance: 100-150m; ◆ Only 1527 IC; ◆ **Working for alarm model TEL99EG,PG994CQ;**	PST-RC105B		
	Wireless Remote Controller ◆ Power: 23A 12V battery; ◆ Open distance: 100-150m; ◆ Only 2262 IC; ◆ **Working for alarm model TEL99E;**	PST-RC105C		
	Wireless Metal Remote Controller ◆ Power: 23A 12V battery; ◆ Open distance: 100-150m; ◆ Only 2262 IC; ◆ **Working for alarm model GA0604,PG992CQ,GA997CQ,GA104TCQ;**	PST-RC105D		
	Wireless Remote Controller ◆ Power: CR2032 3V Lithium Cell battery; ◆ Open distance: 100m; ◆ Only 1527 IC; ◆ **Compatiable with G10A,GA997CQ,GA997CQN, GA66;**	PST-RC201A	US$1.66	Unit weight:0.1Kg pack with bag 1000PCS/carton box
	Wireless Remote Controller ◆ Power: CR2032 3V Lithium Cell battery; ◆ Open distance: 100m; ◆ Only 1527 IC; ◆ **Compatiable with GA66A;**	PST-RC201B		
	Wireless Remote Controller ◆ Power: CR2016 3V Lithium Cell battery; ◆ Open distance: 100m; ◆ Only 1527 IC; ◆ **Compatiable with PG994CQ,PG994CQT,PG992TQ only;**	PST-RC202	US$2.66	Unit weight:0.1Kg pack with bag 1000PCS/carton box

	Wireless Keypad with Adapter *HOT* ◆ Power: DC12V battery; ◆ Open distance: 100-150m; ◆ It is for arm/disarm/emergency button; arm/disarm need password. For emergency button no need password; **◆ Not compatiable with PST-PG992TQ, PST-GA66A;**	PST-WPK101	US$16.99	Unit weight:0.27Kg Size:16*5*11.5cm
	Wired Access Control Unit *HOT* ◆Power supplied by the alarm host; ◆Support arm/disarm by ID card or password; ◆Support 1024 users; ◆Support E-lock; ◆Standard package include 4PCS ID card, extra more 0.24USD/PCS; **◆Only compatiable with GA104TCQ;**	PST-GAC01	US$18.46	Unit weight:0.15Kg Size:12*9*3cm
	Wired panic button *HOT* ◆Reset by key 86X86 ◆N.C. or N.O. for choice, **◆ Compatiable with all models which have wired zones;**	PST-PB102	US$0.88	Unit weight:0.05Kg Size: 9*9*3.5cm 100PCS/carton box
	Wired Fire alarm button *HOT* ◆N.C. **◆ Compatiable with all models which have wired zones;**	PST-FAB01	US$2.66	Unit weight:0.16Kg Size: 9*9*5cm 100PCS/carton box

Part 10: Infrard Baluster or Beams (burglarproof detecting, outdoor usage):

Pictures	Technical Parameters	Model No.	USD/PCS	Remarks
 2 Infrared Baluster **Note: Wireless models not compatiable with GA66A**	wired:twin-beam,outdoor detecting distance:5M,valid length:28cm;	PST-IB101	US$15.39	Unit weight:0.6Kg Size: 41*9*5cm; For wireless models, adapter include;
	wireless:twin-beam,outdoor detecting distance:5M,valid length:28cm	PST-IB102	US$19.14	
	wired:twin-beam,outdoor detecting distance:10M,valid length:28cm;	PST-IB103	US$16.03	
	wireless:twin-beam,outdoor detecting distance:10M,valid length:28cm	PST-IB104	US$19.99	
	wired:twin-beam,outdoor detecting distance:20M,valid length:28cm;	PST-IB105	US$18.09	
	wireless:twin-beam,outdoor detecting distance:20M,valid length:28cm	PST-IB106	US$21.75	
	wired:twin-beam,outdoor detecting distance:30M,valid length:28cm;	PST-IB107	US$19.14	
	wireless:twin-beam,outdoor detecting distance:30M,valid length:28cm	PST-IB108	US$24.29	
	wired:twin-beam,outdoor detecting distance:40M,valid length:28cm;	PST-IB109	US$19.84	
	wireless:twin-beam,outdoor detecting distance:40M,valid length:28cm	PST-IB110	US$25.24	
 2 Photoelectric Beams	2-beam,wired,Detecting distance:30M; length:17CM	PST-IB601	US$17.46	Unit weight:1Kg Size:24*18*9cm
	2-beam,wired,Detecting distance: 60M; length:17CM	PST-IB602		
	2-beam,wired,Detecting distance:80M; length:17CM	PST-IB603		
	2-beam,wired,Detecting distance:100M; length:17CM	PST-IB604		
 3 Photoelectric Beams	3-beam,wired,Detecting distance:50M; length:27CM	PST-IB701	US$31.75	Unit weight:2Kg Size:31*23*16cm
	3-beam,wired,Detecting distance:100M; length:27CM	PST-IB702		
	3-beam,wired,Detecting distance:150M; length:27CM	PST-IB703		
	3-beam,wired,Detecting distance:200M; length:27CM	PST-IB704		
	3-beam,wired,Detecting distance:250M; length:27CM	PST-IB705		
 4 Photoelectric Beams	4-beam,wired,Detecting distance:50M; length:35CM	PST-IB801	US$43.86	Unit weight:2.4Kg Size:42*23*15cm
	4-beam,wired,Detecting distance:100M; length:35CM	PST-IB802		
	4-beam,wired,Detecting distance:150M; length:35CM	PST-IB803		
	4-beam,wired,Detecting distance:200M; length:35CM	PST-IB804		
	4-beam,wired,Detecting distance:250M; length:35CM	PST-IB805		

Trade Terms & Conditions:

1. Price terms: EX-Work;
2. Payment terms: full payment in advance before delivery;
3. Payment methods: Bank wire transfer, western union, money gram, paypal;
4. Quality terms: CE approval; All the products before shippment passed fully strict test & inspection;
5. Delivery time: samples: 1-3 days after received the full payment, bulk order: 5—10 days after received full payment.
6. Warranty: 3 years and unlimited after-sales service ;
7. Origin:Made in China;
8. Price Validity Time:1 month; All clients can register on our website www.chinapst.com to be our VIP members & download our latest quotation at any time;
9. Neutral package; OEM color box, user manual & logo also available. Warm welcome OEM/ODM;
10. Sample Order: extra charge 5%;

PST WELCOME YOU